









INTRODUCTION

Our range of Medical & Laboratory Air Compressors are detailed in this price list. They offer the best medical & laboratory solutions from small desktop compressors to large centralised systems. We work closely with our key partners EKOM to ensure the medical & laboratory network is provided with the best equipment.

EKOM are one of the leading suppliers of medical & laboratory compressors in Europe. Supplying world-wide, they have an enviable reputation for quality & reliability.

KEY POINTS IN CHOOSING EKOM:

- · Oil free compressor 100% duty
- · 2-year warranty
- · Supplied with dryers supplying upto -70 dew point
- · Bacteria free, dry air
- · Easy access for service engineers
- · 10 + years compressor lifetime
- · Flexible cabinet options for all models offering < 50 dB(A) noise level
- · Compressors supplied from stock for next day delivery

ABOUT US:

We established AAG to support the medical & laboratory network and provide a high-quality product that offers exceptional reliability.

We have a strong network of medical & laboratory dealers supplying the EKOM brand into the market. We offer full training and support to the medical & laboratory dealer engineers and sales staff. If you would like training please contact our service team who would be happy to arrange.



IN DEPTH KNOWLEDGE AND EXPERIENCE

We combine a wealth of knowledge stretching nearly 40 years with a dedicated work force to provide the customer the best possible experience.



PROVIDING THE BEST QUALITY PRODUCTS

We work closely with our key partners, helping to develop a wide range of products covering our key markets. They have been carefully selected based on their high quality, reliability and fair price.



UNRIVALLED CUSTOMER SUPPORT

We deliver exceptional customer service, from stocking compressor/parts for next day delivery to installation advice via facetime. We ensure your experience with us is hassle free, before, during and after the sale.







BUYER'S GUIDE

Here you will find a very easy guide to help you identify which product you require:

| Product Name | Options | Pressure Options | Page No. |
|---|------------------------------------|--------------------|----------|
| DK50 DI - INVENT (For Medical Ventilators) | Wheels / Trolley | 6-8 Bar | 4 |
| DK50 DS - SMART (For Medical Ventilators) | Wheels / Trolley | 6-8 Bar | 4 |
| DK50 DE LOW FLOW (For Medical Ventilators) | No Options | 6-8 Bar | 4 |
| DK50 10 | Cabinet (S) / Dryer (M) | 6-8 Bar | 5 |
| DK50 PLUS | Cabinet (S) / Dryer – Mem/NPSL (M) | 6-8 Bar / 8-10 Bar | 6 |
| DK50 2V | Cabinet (S) / Dryer – Mem/NPSL (M) | 6-8 Bar / 8-10 Bar | 7 |
| DK50 2V/50 | Cabinet (S) / Dryer (M) | 6-8 Bar / 8-10 Bar | 8 |
| DK50 4VR/50 | Cabinet (S) / Dryer (M) | 6-8 Bar / 8-10 Bar | 9 |
| DK50 2X2V/110 | Cabinet (S) / Dryer (M) | 6-8 Bar / 8-10 Bar | 10 |
| DK50 2X4VR/110 | Cabinet (S) / Dryer (M) | 6-8 Bar / 8-10 Bar | 11 |
| DK50 2V MOBILE | Dryer (M) | 6-8 Bar / 8-10 Bar | 12 |
| DK50 3X4VR | Dryer (M) | 6-8 Bar / 8-10 Bar | 12 |
| Tower Systems | All Options | 6-8 Bar / 8-10 Bar | 13 |

| Service Type | What's Included |
|-----------------------|---|
| Intermediate Service | The Intermediate service kits will include all filters that are required to be replaced every year as a minimum. |
| Comprehensive Service | The comprehensive service kits will include all filters as well as valve plates, con rods and bearings. (this is an overhaul service, required based on hours or time period) |
| Dryer Service | The Dryer service kits include replacement columns and gasket seals, failing to service the dryer will jeopardise the air quality. |





⁻ AAG Terms & Conditions of sale apply - AAG reserve the right to alter prices at any time - Prices valid from October 1st 2021

DK50 DI - INVENT

(Medical/Ventilator Compressor)

Output Power: 230/50/60 V/Hz Produced Air: 55L/min @ 3.5 bar

Air Tank Volume: 2 L Noise Level: 48 dBa Weight: 30/47kg

£3,675







| DK50 DS - SMART (Small/Desktop Compressor) Code: EK-430402019-023 | Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: | 230/50/60 V/Hz 50 L/min @ 3.5 bar 2 L 49 dBa 445 x 355 x 440 (w x l x h) 34kg | £3,722 2YERR * |
|---|--|--|-------------------|
| DK50 DE LOW FLOW (Low Flow Compressor) Code: EK-430602009-000 | Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: | 230/50/60 V/Hz 20 L/min @ 3.5 bar 2 L 49 dBa 270 x 395 x 400 (w x l x h) 23kg | £3,652 2 YEAR ** |



DK50-10

| Colour | DK50-10 Z (Compressor only) Code: EK-402101001-308 | Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: | 230/50/60, 115/60 V/Hz 68L .min @ 7 bar 10 L 65 dBa 485 x 350 x 553 (w x l x h) 38kg | £1,400 2YERR |
|---------------|--|--|---|--|
| | DK50-10 S (Compressor + Cabinet) Code: EK-402102001-308 | Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: | 230/50/60, 115/60 V/Hz 68L .min @ 7 bar 10 L 49 dBa 580 x 440 x 655 (w x l x h) 53kg | £1,726 2 YERR ¥ |
| (calcon) | DK50-10 Z/M (Compressor + Dryer) Code: EK-4021010A1-305 | Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: | 230/50/60, 115/60 V/Hz 48L .min @ 7 bar Membrane 10 L 67 dBa 544 x 350 x 553 (w x I x h) 44kg | £2,303 |
| | DK50-10 S/M (Compressor + Dryer + Cabinet) Code: EK-4021020A1-305 (8 bar) Code: EK-4021020A1-301 (10 bar) | Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: | 230/50/60, 115/60 V/Hz 48L .min @ 7 bar Membrane 10 L 51.5 dBa 649 x 440 x 655 (w x x h) 61kg | £2,522 (8 bar) £2,967 (10 bar) 2 YERR ** |
| | DK50 10 Intermediate Service Kit (Annual Service) Code: UK-8012 | the intake filter. | nediate Service Kit includes BE USED EVERY YEAR AS A | £29 |
| 1 2 3 4 5 6 7 | DK50 10 Comprehensive Service Kit (8000 hours) Code: UK-8013 | filters, bearings, valv | rehensive kit includes intake ve plates and piston rods. des: 1 x1, 1x2, 1x3, 1x4, 1x6 | £416 |

MEDICAL & LAB COMPRESSORS DK50 PLUS

| DK50 PLUS (Compressor only) Code: EK-403101001-402 (8 bar) Code: EK-403101001-304 (10 bar) | Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 230/50/60, 115/60 V/Hz 68L .min @ 7 bar 25 L 66 dBa 460 x 460 x 690 (w x l x h) 48kg 6-8 or 8-10 bar | £1,400 (8 bar) £1,657 (10 bar) 2YERR |
|--|---|---|--|
| DK50 PLUS/S (Compressor + Cabinet) Code: EK-403102001-402 (8 bar) Code: EK-403102001-401 (10 bar) | Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 230/50/60, 115/60 V/Hz 68L .min @ 7 bar 25 L 47 dBa 560 x 665 x 860 (w x I x h) 83kg 6-8 or 8-10 bar | £2,560 (8 bar) £2,792 (10 bar) 2YERR |
| DK50 PLUS/M (Compressor + Dryer) Code: NPSL: EK-4031010B1-401 (8 bar) NPSL: EK-4031010B1-306 (10 bar) MEM: EK-4031010A1-404 (8 bar) | Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 230/50/60, 115/60 V/Hz 50L .min @ 7 bar NPSL/Membrane 25 L 66 dBa 460 x 515 x 690 (w x x h) 54kg 6-8 or 8-10 bar | £2,951 (8 bar) £3,175 (10 bar) 2 YERR |
| DK50 PLUS S/M (Compressor + Cabinet + Dryer) Code: NPSL: EK-4031020B5-401 (8 bar) NPSL: EK-4031020A1-404 (8 bar) | Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 230/50/60, 115/60 V/Hz 50L .min @ 7 bar NPSL/Membrane 25 L 47 dBa 560 x 665 x 860 (w x I x h) 90kg 6-8 or 8-10 bar | £3,655 (8 bar) £3,970 (10 bar) |
| DK50 PLUS Intermediate Service Kit (Annual Service) Code: UK-8000 | includes the intake | ermediate Service Kit filter. o be used every year as a | £29 |
| DK50 PLUS Comprehensive Service Kit (8000 hours) Code: UK-8100 Code: UK-8303 (8-10) | take filters, bearings | mprehensive kit includes ins, valve plates and piston rods. | £416 (8 bar) £465 (10 bar) |
| DK50 PLUS Dryer Kit (20) (2-3 year service or 8000 hours) Code: UKS-20074 | | its include replacement et seals, failing to service the e the air quality. | £386 |



DK50 2V

| 9 | DK50 2V (Compressor only) Code: EK-403201001-302 (8 bar) Code: EK-403201005-208 (10 bar) | Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 230/50/60, 110/60 V/Hz 125L .min @ 7 bar 25 L 71 dBa 460 x 460 x 690 (w x l x h) 52kg 6-8 or 8-10 bar | £2,117 (8 bar) £2,219 (10 bar) |
|---|---|---|---|---|
| | DK50 2V/S (Compressor + Cabinet) Code: EK-403202001-306 (8 bar) Code: EK-403202001-307 (10 bar) | Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 230/50/60, 110/60 V/Hz 125L .min @ 7 bar 25 L 53 dBa 560 x 665 x 860 (w x I x h) 88kg 6-8 or 8-10 bar | £3,460 (8 bar) £3,762 (10 bar) 2YERR * |
| | DK50 2V/M (Compressor + Dryer) Code: NPSL - EK-4032010B1-302 (8 bar) MEM - EK-4032010A1-304 (8 bar) NPSL - EK-4032010B1-303 (10 bar) | Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 230/50/60, 110/60 V/Hz 100L .min @ 7 bar NPSL/Membrane 25 L 71 dBa 560 x 665 x 860 (w x l x h) 57kg 6-8 or 8-10 bar | £3,460 (8 bar) £3,437 (10 bar) 2YERR |
| | DK50 2V/S/M (NPSL) (Compressor + Dryer + Cabinet) Code: NPSL - EK-4032020B1-302 (8 bar) MEM - EK-4032020A1-204 (10 bar) NPSL - EK-4032020B1-303 (10 bar) | Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 230/50/60, 110/60 V/Hz 100L .min @ 7 bar NPSL/Membrane 25 L 53 dBa 560 x 665 x 860 (w x I x h) 104kg 6-8 or 8-10 bar | £4,618 (8 bar) £4,897 (10 bar) 2 YERR |
| | DK50 2V Intermediate Service Kit (Annual Service) Code: UK-8001 | the intake filter. | mediate Service Kit includes o be used every year as a | £35 |
| | DK50 2V Comprehensive Service Kit (8000 hours) Code: UK-8101 (8 bar) Code: UK-8102 (10 bar) | filters, bearings, val | orehensive kit includes intake ve plates and piston rods. des: 2x1, 2x2, 2x3, 2x4, 1x5, 1x6, | £545 (8 bar) £570 (10 bar) |
| | DK50 PLUS Dryer Kit (20) (2-3 year service or 8000 hours) Code: UKS-20074 | | its include replacement et seals, failing to service the e the air quality. | £386 |

MEDICAL & LAB COMPRESSORS DK50 2V/50

| | DK50 2V/50 (Compressor only) Code: EK-406201005-101 (8 bar) Code: EK-406201005-103 (10 bar) | Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 230/50/60, 115/60 V/Hz 125L .min @ 7 bar 50 L 71 dBa 595 x 475 x 770 (w x l x h) 56kg 6-8 or 8-10 bar | £2,348 (8 bar) £2,758 (10 bar) 2 YERR ¥ |
|---------------|---|---|---|--|
| | DK50 2V/50/S (Compressor + Cabinet) Code: EK-406202005-001 (8 bar) | Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 230/50/60, 115/60 V/Hz 125L .min @ 7 bar 50 L 56 dBa 750 x 715 x 1015 (w x x h) 108kg 6-8 or 8-10 bar | £3,839 (8 bar) £3,954 (10 bar) 2YERR |
| | DK50 2V/50 M (NPSL) (Compressor + Dryer) Code: NPSL: EK-4062010B5-102 (8 bar) NPSL: EK-4062010B5-103 (10 bar) | Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 230/50/60, 110/60 V/Hz 110L .min @ 7 bar NPSL 50 L 71 dBa 595 x 585 x 770 (w x x h) 61kg 6-8 or 8-10 bar | £3,719 (8 bar) £3,836 (10 bar) |
| | DK50 2V/50/S/M (Compressor + Cabinet + Dryer) Code: EK-4062020B5-102 (8 bar) | Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 230/50/60, 115/60 V/Hz 110L .min @ 7 bar NPSL 50 L 56 dBa 750 x 715 x 1015 (w x I x h) 114kg 6-8 or 8-10 bar | £5,208 (8 bar) £5,427 (10 bar) |
| | DK50 2V Intermediate Service Kit (Annual Service) Code: UK-8001 | cludes the intake f | termediate Service Kit in- liter. to be used every year as a | £35 |
| 1 2 3 4 5 6 7 | DK50 2V Comprehensive Service Kit (8000 hours) Code: UK-8101 (8 bar) Code: UK-8102 (10 bar) | take filters, bearings | mprehensive kit includes in- s, valve plates and piston rods. udes: 2x1, 2x2, 2x3, 2x4, 1x5, 1x6, | £545 (8 bar) £570 (10 bar) |
| | DK50 2V Dryer Kit (20) (2-3 year service or 8000 hours) Code: UKS-20074 | | its include replacement et seals, failing to service the e the air quality. | £386 |



DK50 4VR/50

| | DK50 4VR/50 (Compressor only) Code: EK-406701105-000 (8 bar) Code: EK-406701105-101 (10 bar) | Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 415/50 V/Hz 250L .min @ 7 bar 50 L 77 dBa 580 x 580 x 790 (w x l x h) 70kg 6-8 or 8-10 bar | £5,515 (8 bar) £5,803 (10 bar) |
|-------------------------------|--|---|--|--|
| | DK50 4VR/50 S (Compressor + Cabinet) Code: EK-406702105-100 (8 bar) Code: EK-4067021015-101 (10 bar) | Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 415/50 V/Hz 250L .min @ 7 bar 50 L 58 dBa 750 x 770 x 1015 (w x I x h) 128kg 6-8 or 8-10 bar | £6,631 (8 bar) £6,863 (10 bar) |
| | DK50 4VR/50/M (NPSL) (Compressor + Dryer) Code: EK-4067011B5-001 (8 bar) Code: EK-5067011B5-104 (10 bar) | Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 415/50 V/Hz 180L .min @ 7 bar 50 L 77 dBa 585 x 635 x 795 (w x l x h) 81kg 6-8 or 8-10 bar | £6,798 (8 bar) £7,093 (10 bar) 2 YERR * |
| | DK50 4VR/50 SM (NPSL) (Compressor + Cabinet + Dryer) Code: EK-4067021B5-101 (8 bar) Code: EK-4067021B5-104 (10 bar) | Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 415/50 V/Hz 180L .min @ 7 bar NPSL 50 L 58 dBa 750 x 770 x 1015 (w x I x h) 139kg 6-8 or 8-10 bar | £7,951 (8 bar) £8,245 (10 bar) 2YERR |
| •• | DK50 4VR Intermediate Service Kit (Annual Service) Code: UK-8300 | includes the intake | ntermediate Service Kit e filter. so be used every year as a | £69 |
| | DK50 4VR Comprehensive Service Kit (8000 hours) Code: UK-8301 (8 bar) | take filters, bearing | Comprehensive kit includes ins, valve plates and piston rods. ncludes: 4x1, 4x2, 4x3, 4x4, 2x5, | £1,090 (8 bar) |
| | DK50 4VR Dryer Kit (30) (2-3 year service or 8000 hours) Code: UKS-20092 | | its include replacement et seals, failing to service the e the air quality. | £422 |

MEDICAL & LAB COMPRESSORS DK50 2X2V/110

| | DK50 2X2V/110 (Compressor only) Code: EK-404101005-305 (8 bar) Code: EK-404101005-307 (10 bar) DK50 2X2V/110/S (Compressor + Cabinet) Code: EK-404102106-301 (8 bar) Code: EK-404102006-406 (10 bar) | Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 230V/50Hz (20 AMP) 250L .min @ 7 bar 110 L 73 dBa 1090 x 425 x 815 (w x x h) 98kg 6-8 or 8-10 bar 230V/50Hz (20 AMP) 250L .min @ 7 bar 110 L 53 dBa 1200 x 720 x 990 (w x x h) 173kg 6-8 or 8-10 bar | £4,489 (8 bar) £4,618 (10 bar) 2YERR * £6,406 (8 bar) £6,638 (10 bar) |
|---------------|---|--|---|---|
| | DK50 2X2V/110/M (NPSL) (Compressor + Dryer) Code: EK-4041010B5-404 (8 bar) Code: EK-4041010B5-403 (10 bar) | Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 230V/50Hz (20 AMP) 180L .min @ 7 bar NPSL 110 L 73 dBa 1090 x 605 x 815 (w x x h) 119kg 6-8 or 8-10 bar | £6,156 (8 bar) £6,284 (10 bar) |
| | DK50 2X2V/110/S/M (Compressor + Cabinet + Dryer) Code: EK-4041020B6-402 (8 bar) Code: EK-4041020B6-403 (10 bar) | Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 230V/50Hz (20 AMP) 180L .min @ 7 bar NPSL 110 L 53 dBa 1200 x 720 x 990 (w x l x h) 181kg 6-8 or 8-10 bar | £7,572 (8 bar) £7,683 (10 bar) |
| • | DK50 2X2V Intermediate Service Kit (Annual Service) Code: UK-8002 | cludes the intake fi | Intermediate Service Kit in- ilter. o be used every year as a | £70 |
| 1 2 3 4 5 6 7 | DK50 2X2V Comprehensive Service Kit (8000 hours) Code: UK-8007 (8 bar) Code: UK-8010 (10 bar) | take filters, bearings | Comprehensive kit includes ins, valve plates and piston rods. ncludes: 4x1, 4x2, 4x3, 4x4, 2x5, | £1,090 (8 bar) £1,211 (10 bar) |
| | DK50 2X2V Dryer Kit (30) (2-3 year service or 8000 hours) Code: UKS-20092 | | its include replacement et seals, failing to service the e the air quality. | £422 |



DK50 2X4VR/110

| | DK50 2X4VR/110 (Compressor only) Code: EK-404711106-003 (8 bar) Code: EK-404711106-001 (10 bar) | Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 415/50 V/Hz 460L .min @ 7 bar 110 L 75 dBa 1210 x 670 x 830 (w x x h) 150kg 6-8 or 8-10 bar | £8,264 (8 bar) £8,966 (10 bar) 2YERR |
|------|---|---|---|--|
| R | DK50 2X4VR/110 S (Compressor + Cabinet) Code: EK-404712106-000 (8 bar) Code: EK-404712106-001 (10 bar) | Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 415V/50 V/Hz 460L .min @ 7 bar 110 L 58 dBa 1260 x 795 x 1025 (w x x h) 230kg 6-8 or 8-10 bar | £11,051 (8 bar) £11,856 (10 bar) 2YERR * |
| | DK50 2X4VR/110 M (NPSL) (Compressor + Dryer) Code: EK-4047111B6-001 (8 bar) Code: EK-4047111B6-006 (10 bar) | Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 415V/50 Hz 340L .min @ 7 bar NPSL 110 L 75 dBa 1210 x 670 x 830 (w x x h) 172kg 6-8 or 8-10 bar | £10,900 (8 bar) £11,856 (10 bar) 2YERR |
| | DK50 2X4VR/110/S/M (Compressor + Cabinet + Dryer) Code: EK-4047121B6-001 (8 bar) Code: EK-4047121B6-006 (10 bar) | Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range: | 415V/50 Hz 340L .min @ 7 bar NPSL 110 L 58 dBa 1260 x 795 x 1025 (w x I x h) 240kg 6-8 or 8-10 bar | £12,183 (8 bar) £12,648 (10 bar) 2 YERR * |
| 0.0. | DK50 2X4VR Intermediate Service Kit (Annual Service) Code: UK-8008 | in-cludes the intak | O Intermediate Service Kit e filter. o be used every year as a | £139 |
| | DK50 2X4VR Comprehensive Service Kit (8000 hours) Code: UK-8223 Code: UK-8304 | intake filters, bearin rods. | O Comprehensive kit includes gs, valve plates and piston x1, 8x2, 8x3, 8x4, 4x5, 4x6, 4x7 | £1,803 (8 bar) £2,022 (10 bar) |
| | DK50 2X4VR Dryer Kit (50) (2-3 year service or 8000 hours) Code: UKS-20143 | | its include replacement et seals, failing to service the e the air quality. | £515 |

| DK50 2V MOBILE (Fully Mobile Compressor) Code: EK-409202005-202 (8 bar) Code: EK-409202005-202 (10 bar) | Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: | 230V/50 Hz 125 L.min @ 7 bar NPSL 25 L 59 dBa 550 x 700 x 860 (w x I x h) 97kg | £4,745 (8 bar) £5,513 (10 bar) |
|--|---|--|-------------------------------------|
| DK50 3X4VR/M (High Flow Compressor + Dryer) Code: EK-4077211B6-000 (8 bar) | Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: | 415V/50 Hz 775 L .min @ 5 bar NPSL 290 L 73 dBa 170 x 700 x 1025 (w x l x h) 286kg | £22,883 (8 bar) £23,042 (10 bar) |



CENTRALISED SYSTEMS - EKOM TOWER


The EKOM towers are custom built centralised systems. We can help design a system that fits your demand perfectly.

You can select dryer type, output flow and sound proof options.

The towers have independently running pumps that can adjust depending on the demand. It has a Siemens control panel that can monitor all aspects of the tower from pressure regulation to dew point. This can all be viewed via the LED touch screen display or remotely via BMS system.

These units are available with 2 dryer options. Refrigeration will provide a +3 pressure dewpoint, compared to the NPSL dryer which will deliver up to -70 pressure dewpoint.

Adding the soundproof box will reduce the decibel level to 72dB(A). It has a temperature controlled cooling system within the cabinet to help the pumps run at optimum temperature.





Please contact us for more details:

T: 01527 557006 | E: enquiries@absoluteairandgas.co.uk


| | 4X4VR | 6x4VR | 9x4VR |
|-----------------------------------|--|--|--|
| Motor Performance (KW) | 4x2.2 | 6x2.2 | 9x2.2 |
| Mode of Operation (Duty) | S1 - 100% | S1 - 100% | S1 - 100% |
| Dryer Options | Refrigeration (+3 Pressure Dew Point) or NPSL (-40/-70 Pressure Dew Point) | Refrigeration (+3 Pressure Dew Point) or NPSL (-40/-70 Pressure Dew Point) | Refrigeration (+3 Pressure Dew Point) or NPSL (-40/-70 Pressure Dew Point) |
| Air Tank Capacity | 500 L | 500 L | 500 L |
| Efficiency of Compressor (@ 7bar) | 980 L/min | 1,615 L/min | 2,325 L/min |







DISTRIBUTION





NOTES

Absolute Industrial Bromsgrove Technology Park Isidore Road Bromsgrove B60 3FJ

T: 01527 557006 E: enquiries@absoluteairandgas.co.uk

www.absolute-industrial.co.uk

